

**2019 Missouri Non-Irrigated Corn  
Central Region: Norborne**

Brand/Hybrid	Maturity	Trait	Additional Treatment	Yield (bu/ac)	Moisture (%)	Lodging (1-5)~
8360	113	VT2P		292.8	15.1	1
8147	111	VT2P RIB		285.8	14.0	2
8380	113	NonGMO		275.5	14.5	2
8324	113	VT2P RIB		273.9	14.8	2
8404	114	NonGMO		273.1	15.4	2
8535	115	VT2P		272.4	14.2	2
6872	108	VT2P RIB		270.7	13.4	1
8404	114	VT2P RIB	Talc USA, MicroSurge	262.0	15.5	2
8157	113	NonGMO Waxy		257.1	15.0	2
8251	112	3220EZ		255.5	14.5	1
8478	114	NonGMO		254.0	16.0	3
6886	108	VT2P RIB		252.1	15.0	3
8522	115	STAX		251.1	15.7	1
6854	108	NonGMO		251.0	12.7	2
8404	114	VT2P RIB		247.2	15.6	1
8277	112	VT2P RIB		246.2	14.8	2
8522	115	NonGMO		241.6	15.2	2
8121	111	VT2P		239.5	13.8	3
8312	113	VT2P RIB		237.6	13.8	2
6975	109	3220EZ		225.1	14.5	3
<b>GRAND MEAN</b>				258.2	14.7	1.9
<b>LSD (10%)</b>				9.6	0.5	0.7
<b>CV (%)</b>				3.5	3.3	33.0

NonGMO Yellow Average	259.0
GMO Yellow Average	258.4

<b>"Big Seed" entries from adjacent MU Trial</b>	
DKC65-95	277.1
PIO 1197AM	258.8
DKC 65-95	245.9