

# Sweet Six BMR Dry Stalk



**Sweet Six BMR dry stalk** is rapid growing and the earliest BMR to mature at 40-60 days. This one grows quicker than other BMR hybrids in cool spring weather. It's grassy tillers, leaves and fine stem size contribute to the forage quality it produces. It has 3-5% lower moisture with the drystalk. It consistently wins reviews because it's early vigor, tonnage, nutritional quality, and regrowth characteristics.



## YIELD POTENTIAL

**5-7 Tons**

### HARVEST RECOMMENDATIONS

1st Cutting	40-60 days 40-60"
2nd Cutting	25-30 days 25-30"
3rd Cutting	25-30 days 25-30"

### GRAINS PER DAY

Milk Per Day	 Increase of 10 Lbs. of milk per day
Beef Per Day	 Increase of .75 Lbs. of beef per day

## AGRONOMIC TRAITS

Ideal Harvest Height	40-60"
Total Height	80-90"
Relative Maturity	Early
Days to Maturity	40-60 Days
Plant Type	Dry Stalk
Midrib Type	BMR-6
Standability	Good
Photoperiod Sensitive	No
Sugar Cane Aphid	No
Downy Mildew Resistant	Yes
Anthracoese Resistant	Yes
Double Cropping	Yes
Dryland/Irrigated	Both

## SEEDING RATES

Seeding Method	Harvest Stage	Dryland Lbs./Acre	Rainfed/Irrigated Lbs./Acre	Dryland Seed/Acre	Rainfed/Irrigated Seed/Acre
Drilled	Boot Stage	20-25	25-35	330,000-412,500	412,500-577,500

SEE MANAGEMENT TIPS FOR PRUSSIC ACID AND NITRATE PAGE FERTILIZER RECOMMENDATIONS: 1-1.25 LB. N PER GROWING DAY/ACRE  
SEED PER POUND: **16,500**  
SEEDING DEPTH: **1"-1.5"**  
SOIL TEMPERATURE: **62°F**

## NUTRITIONAL QUALITY

